



Single-engine, light utility helicopter, designed and developed by Eurocopter. Integrates a high level of advanced technology to make the rotocraft easier and safer to fly, as well as to reduce the operating costs.



AIRFRAME

Total hours 450	Air Conditioner -w- Dual Forward Evaporators (Air Comm) 105.6 lbs. Artex C406-NHM ELT -w- PGM Adaptor 6.2 lbs.
	Artex C406-NHM ELT Provisions 1.8 lbs.
INTERIOR	Autopilot - 2-Axis AFCS 27.6 lbs.
	Aux Fuel Tank Equipment (19 Gal) 30.4 lbs.
6+1 Pax Corporate Interior Trim	Baggage Compartment Edge Protector (AA) 0 lbs.
Two Tone Tan Leather ADDITIONAL FEATURES	Bleed Air Heater -w- Windshield & Chin Bubble Defrost (Air Comm) 23.3 lbs.
	Cockpit Storage Kit 1.4 lbs.
	Cockpit/Cabin Floor Protector Kit (AA) 8.3 lbs.
	Door Openers - Automatic - for Hi Viz Crew Doors (AA) 2.8 lbs.
Air Conditioning e/Dual Forward Evaporators	Door Openers - Automatic - for Baggage Door (AA) 1 lbs.
Aux Fuel Tank Equipment (19 GAL)	Door Openers - Automatic - for Cabin Doors (AA) 2.8 lbs.
Corporate Soundproofing	Door Openers - Automatic - for Crew Doors (AA) 2.8 lbs.

AVIONICS



AVIONICS

Expanded Avionics Shelf 2.2 lbs.

Fuel Filler Protector (AA) 0.1 lbs.

Headliner -w- AC Ducting 4.7 lbs.

ICS - 7 Place - Bose LEMO Jacks (No Headsets included) Increased Starter Generator 1 lbs.

Interior Trim - Corporate 7.3 lbs.

Locking Fuel Cap Kit (AA) 0.1 lbs.

NiCad Battery 28 Amp-Hour (Acid Lead Replacement Option) -5.4 lbs. Particle Separator With Engine Bleed Air Network 13.1 lbs.

Passenger and Crew Seats - Corporate 0.9 lbs.

Pre-Flight Kit Includes (4) Step Handles (2) Folding Maintenance Steps or (2) Access. Steps (1) Door Retention Strap (AA) 7.2 lbs.

Radar Altimeter - GRA 55 6.3 lbs.

Snow Baffles 5.2 lbs.

AVIONICS

Soundproofing - Corporate 8.2 lbs.

Spacemaker & Cover (AA) 6 lbs.

Stormscope - WX 500 (Goodrich) -w- BHT Tailboom Mount 3.7 lbs.

Tail Rotor Pedal Safety Kit (AA) 0,1 lbs.































ROYAL JETS









+48 784 025 404 OFFICE@ROYALJETS.PL <u>WWW.ROYALJETS.PL</u>